

ICD-10 REQUIRED Documentation for Specificity



Malignant Neoplasm of Prostate

THE ICD-10 DOCUMENTER SERIES



Documentation

Indicate histologic behavior of Neoplasm:	Note Neoplasm:
Malignant primary, malignant secondary, carcinoma in-situ, or benign	Excised and thought to be eradicated with no additional treatment planned, or if the patient is status-post antineoplastic or irradiation therapy
Note:	Note Genetic Susceptibility:
Prostatic intraepithelial neoplasia III (PIN III) and severe dysplasia of prostate are both characterized as carcinoma in-situ of prostate.	To prostate cancer, or family history of prostate cancer
PIN I and II:	Note:
These are both characterized as dysplasia of prostate	If Prostate Specific Antigen (PSA) is elevated
Note Site of Neoplasm:	
Utricle or prostatic utricle; these conditions are classified as malignant neoplasms of the urethra	

ICD-10 Codes

Below are a few example ICD-10 codes selected to help display how the clinical features of this condition align with the documentation requirements of ICD-10.

C61	Malignant neoplasm of prostate
C79.82	Secondary malignant neoplasm of genital organs
D07.5	Carcinoma in situ of prostate
N42.3	Dysplasia of prostate
D29.1	Benign neoplasm of prostate